

- Tefilli MV, Gheiler EL, Shekarriz B, et al. Primary adenocarcinoma of the urethra with metastasis to the glans penis: successful treatment with chemotherapy and radiation therapy. *Urology* 1998;52:517–519.
- Sharp DS, Angermeier KW. Surgery of penile and urethral carcinoma. In: Wein AJ, ed. *Campbell-Walsh Urology*. 9th ed. Philadelphia: WB Saunders; 2007:993.
- Wiener JS, Liu ET, Walther PJ. Oncogenic human papillomavirus type 16 is associated with squamous cell cancer of the male urethra. *Cancer Res* 1992;52:5018–5023.
- Russell AH, Dalbagni G. Cancer of the urethra. In: Vogelzang NJ, Scardino PT, Scardino WU, et al., eds. *Comprehensive Textbook of Genitourinary Oncology*. 3rd ed. Philadelphia: Lippincott Williams & Wilkins; 2006:883.
- Grabstald H. Proceedings: Tumors of the urethra in men and women. *Cancer* 1973;32:1236–1255.
- Erckert M, Stenzl A, Falk M, et al. Incidence of urethral tumor involvement in 910 men with bladder cancer. *World J Urol* 1996;14:3–8.
- Sherwood JB, Sagalowsky AL. The diagnosis and treatment of urethral recurrence after radical cystectomy. *Urol Oncol* 2006;24:356–361.
- American Joint Committee on Cancer. *AJCC Cancer Staging Manual*. 7th ed. New York: Springer-Verlag; 2010.
- Ryu JA, Kim B. MR imaging of primary urethral lymphoma in a man. *AJR* 2003;181:600–601.
- Zeidman EJ, Desmond P, Thompson IM. Surgical treatment of carcinoma of the male urethra. *Urol Clin North Am* 1992;19:359–372.
- Gheiler EL, Tefilli MV, Tiguert R, et al. Management of primary urethral cancer. *Urology* 1998;52:487–493.
- Davis JW, Schellhammer PF, Schlossberg SM. Conservative surgical therapy for penile and urethral carcinoma. *Urology* 1999;53:386–392.
- Dalbagni G, Zhang ZF, Lacombe L, et al. Male urethral carcinoma: analysis of treatment outcome. *Urology* 1999;53:1126–1132.
- Christopher N, Arya M, Brown RS, et al. Penile preservation in squamous cell carcinoma of the bulbomembranous urethra. *BJU Int* 2002;89:464–465.
- Shen SS, Lerner SP, Muezzinoglu B, et al. Prostatic involvement by transitional cell carcinoma in patients with bladder cancer and its prognostic significance. *Hum Pathol* 2006;37:726–734.
- Scher HI, Yagoda A, Herr HW, et al. Neoadjuvant M-VAC (methotrexate, vinblastine, doxorubicin and cisplatin) for extravesical urinary tract tumors. *J Urol* 1988;139:475–477.
- Oberfield RA, Zinman LN, Leibenhaut M, et al. Management of invasive squamous cell carcinoma of the bulbomembranous male urethra with coordinated chemo-radiotherapy and genital preservation. *Br J Urol* 1996;78:573–578.
- Licht MR, Klein EA, Bukowski R, et al. Combination radiation and chemotherapy for the treatment of squamous cell carcinoma of the male and female urethra. *J Urol* 1995;153:1918–1920.
- Srinivas V, Khan SA. Female urethral cancer—an overview. *Int Urol Nephrol* 1987;19:423–427.
- Champ CE, Hegarty SE, Shen X, et al. Prognostic factors and outcomes after definitive treatment of female urethral cancer: a population-based analysis. *Urology* 2012;80:374–381.
- Tiguert R, Ravery V, Madjar S, et al. [Acute urinary retention secondary to clear cell adenocarcinoma of the urethra]. *Prog Urol* 2001;11:70–72.
- Sailer SL, Shipley WU, Wang CC. Carcinoma of the female urethra: a review of results with radiation therapy. *J Urol* 1988;140:1–5.
- Dalbagni G, Zhang ZF, Lacombe L, et al. Female urethral carcinoma: an analysis of treatment outcome and a plea for a standardized management strategy. *Br J Urol* 1998;82:835–841.
- Grabstald H, Hilaris B, Henschke U, et al. Cancer of the female urethra. *JAMA* 1966;197:835–842.
- Milosevic MF, Warde PR, Banerjee D, et al. Urethral carcinoma in women: results of treatment with primary radiotherapy. *Radiother Oncol* 2000;56:29–35.
- Narayan P, Konety B. Surgical treatment of female urethral carcinoma. *Urol Clin North Am* 1992;19:373–382.
- Yeole BB, Jussawalla DJ. Descriptive epidemiology of the cancers of male genital organs in greater Bombay. *Indian J Cancer* 1997;34:30–39.
- Hernandez BY, Barnholtz-Sloan J, German RR, et al. Burden of invasive squamous cell carcinoma of the penis in the United States, 1998–2003. *Cancer* 2008;113:2883–2891.
- Maden C, Sherman KJ, Beckmann AM, et al. History of circumcision, medical conditions, and sexual activity and risk of penile cancer. *J Natl Cancer Inst* 1993;85:19–24.
- Miralles-Curi C, Bruni L, Cubilla AL, et al. Human papillomavirus prevalence and type distribution in penile carcinoma. *J Clin Pathol* 2009;62:870–878.
- Backes DM, Kurman RJ, Pimenta JM, et al. Systematic review of human papillomavirus prevalence in invasive penile cancer. *Cancer Causes Control* 2009;20:449–457.
- Chaux A, Cubilla AL. The role of human papillomavirus infection in the pathogenesis of penile squamous cell carcinomas. *Sem Diagn Pathol* 2012;29:67–71.
- Harish K, Ravi R. The role of tobacco in penile carcinoma. *Br J Urol* 1995;75:375–377.
- Bosch FX, Broker TR, Forman D, et al. Comprehensive control of human papillomavirus infections and related diseases. *Vaccine* 2013;31:G1–G31.
- Flaherty A, Kim T, Giuliano A, et al. Implications for human papillomavirus in penile cancer. *Urol Oncol* 2014;32:53.e1–e8.
- Grossman HB. Premalignant and early carcinomas of the penis and scrotum. *Urol Clin North Am* 1992;19:221–226.
- Lopes A, Hidalgo GS, Kowalski LP, et al. Prognostic factors in carcinoma of the penis: multivariate analysis of 145 patients treated with amputation and lymphadenectomy. *J Urol* 1996;156:1637–1642.
- Depasquale I, Park AJ, Bracka A. The treatment of balanitis xerotica obliterans. *BJU Int* 2000;86:459–465.
- Scher B, Seitz M, Reiser M, et al. 18F-FDG PET/CT for staging of penile cancer. *J Nucl Med* 2005;46:1460–1465.
- Graafland NM, Leijte JA, Valdes Olmos RA, et al. Scanning with 18F-FDG-PET/CT for detection of pelvic nodal involvement in inguinal node-positive penile carcinoma. *Eur Urol* 2009;56:339–345.
- Leijte JA, Graafland NM, Valdes Olmos RA, et al. Prospective evaluation of hybrid 18F-fluorodeoxyglucose positron emission tomography/computed tomography in staging clinically node-negative patients with penile carcinoma. *BJU Int* 2009;104:640–644.
- Korets R, Koppie TM, Snyder ME, et al. Partial penectomy for patients with squamous cell carcinoma of the penis: the Memorial Sloan-Kettering experience. *Ann Surg Oncol* 2007;14:3614–3619.
- Crook JM, Haie-Meder C, Demanes DJ, et al. American Brachytherapy Society-European Society of Therapeutic Radiation Oncology (ABS-GEC-ESTRO) consensus statement for penile brachytherapy. *Brachytherapy* 2013;12:191–198.
- Crook JM, Jezioranski J, Grimard L, et al. Penile brachytherapy: results for 49 patients. *Int J Radiat Oncol Biol Phys* 2005;62:460–467.
- Marconnet L, Bouchot O, Culine S, et al. [Treatment of lymph nodes in epidermoid carcinoma of the penis: review of literature by the Committee of Cancerology of the French Association of Urology-External Genital Organs Group (CCAFU-OGE)]. *Prog Urol* 2010;20:332–342.
- National Institute for Clinical Excellence. *Improving Outcomes in Urological Cancers: The Research Evidence*. London: National Institute for Health and Clinical Excellence; 2002.
- Bayles AC, Sethia KK. The impact of Improving Outcomes Guidance on the management and outcomes of patients with carcinoma of the penis. *Ann R Coll Surg Engl* 2010;92:44–45.
- Windahl T, Andersson SO. Combined laser treatment for penile carcinoma: results after long-term followup. *J Urol* 2003;169(6):2118–2121.
- Mohs FE, Snow SN, Larson PO. Mohs micrographic surgery for penile tumors. *Urol Clin North Am* 1992;19:291–304.
- Sheen MC, Sheu HM, Huang CH, et al. Penile verrucous carcinoma successfully treated by intra-aortic infusion with methotrexate. *Urology* 2003;61:1216–1220.
- Krieg R, Hoffman R. Current management of unusual genitourinary cancers. Part 1: Penile cancer. *Oncology* 1999;13:1347–1352.
- Slaton JW, Morgenstern N, Levy DA, et al. Tumor stage, vascular invasion and the percentage of poorly differentiated cancer: independent prognosticators for inguinal lymph node metastasis in penile squamous cancer. *J Urol* 2001;165:1138–1142.
- Cabanas RM. An approach for the treatment of penile carcinoma. *Cancer* 1977;39:456–466.
- Jakub JW, Pendas S, Reintgen DS. Current status of sentinel lymph node mapping and biopsy: facts and controversies. *Oncologist* 2003;8:59–68.
- Kroon BK, Nieweg OE, van Boven H, et al. Size of metastasis in the sentinel node predicts additional nodal involvement in penile carcinoma. *J Urol* 2006;176:105–108.
- Leijte JA, Hughes B, Graafland NM, et al. Two-center evaluation of dynamic sentinel node biopsy for squamous cell carcinoma of the penis. *J Clin Oncol* 2009;27:3325–3329.
- Jensen JB, Jensen KM, Ulhøi BP, et al. Sentinel lymph-node biopsy in patients with squamous cell carcinoma of the penis. *BJU Int* 2009;103:1199–1203.
- Loughlin KR. Is sentinel node biopsy indicated in penile cancer? *Nat Clin Pract Urol* 2007;4:80–81.
- Tabatabaei S, Harisinghani M, McDougal WS. Regional lymph node staging using lymphotropic nanoparticle enhanced magnetic resonance imaging with ferumoxtran-10 in patients with penile cancer. *J Urol* 2005;174:923–927; discussion 927.
- Ficarra V, Zattoni F, Artibani W, et al. Nomogram predictive of pathological inguinal lymph node involvement in patients with squamous cell carcinoma of the penis. *J Urol* 2006;175:1700–1704; discussion 1704–1705.

61. Kattan MW, Ficarra V, Artibani W, et al. Nomogram predictive of cancer specific survival in patients undergoing partial or total amputation for squamous cell carcinoma of the penis. *J Urol* 2006;175:2103–2108; discussion 2108.
62. Catalona WJ. Modified inguinal lymphadenectomy for carcinoma of the penis with preservation of saphenous veins: technique and preliminary results. *J Urol* 1988;140:306–310.
63. Trabulsi EJ, Hoffman-Censits J. Chemotherapy for penile and urethral carcinoma. *Urol Clin North Am* 2010;37:467–474.
64. Necchi A, Nicolai N, Colecchia M, et al. Proof of activity of anti-epidermal growth factor receptor-targeted therapy for relapsed squamous cell carcinoma of the penis. *J Clin Oncol* 2011;29:e650–e652.
65. Haas GP, Blumenstein BA, Gagliano RC, et al. Cisplatin, methotrexate and bleomycin for the treatment of carcinoma of the penis: a Southwest Oncology Group study. *J Urol* 1999;161:1823–1825.
66. Bahl A, Nicholson S, Harland SJ, et al. Phase II trial of docetaxel, cisplatin, 5-fluorouracil (TPF) in locally advanced and metastatic squamous cell carcinoma (SCC) of the penis (CRUK/09/001). *J Clin Oncol* 2012;20:326.
67. Pizzocaro G, Piva L. Adjuvant and neoadjuvant vincristine, bleomycin, and methotrexate for inguinal metastases from squamous cell carcinoma of the penis. *Acta Oncol* 1988;27:823–824.
68. Bermejo C, Busby JE, Spiess PE, et al. Neoadjuvant chemotherapy followed by aggressive surgical consolidation for metastatic penile squamous cell carcinoma. *J Urol* 2007;177:1335–1338.